Indian Journal of School Research and Innovation
Indian J. Sch. Res. Innov.. 2026;:e2026001

ACRI | JOURNALS

REVIEW ARTICLE · ENVIRONMENTAL STUDIES AND SUSTAINABILITY

# Plastic Pollution in India: Environmental Impacts, Challenges, and Sustainable Solutions

*A Review of Current Evidence and Strategies for a Sustainable Future*

Fenil Pritesh Shah[1*]

[1] Ahmedabad University, Ahmedabad, Gujarat, India

**RECEIVED**
November 22, 2026

**ACCEPTED**
November 22, 2026

**PUBLISHED**
November 22, 2026

**DOI**
10.5281/zenodo.24439653

**CITE AS**
Shah FP. Plastic Pollution in India: Environmental Impacts, Challenges, and Sustainable Solutions: A Review of Current Evidence and Strategies for a Sustainable Future. Indian J. Sch. Res. Innov.. 2026;:e2026001. doi:10.5281/zenodo.24439653

**CORRESPONDING AUTHOR**
Fenil Pritesh Shah
fenil.s@ahduni.edu.in

**LICENCE**
© 2026 The Author(s). Open access under Creative Commons Attribution 4.0 International (CC BY 4.0).

CC BY 4.0

**ABSTRACT**

**Importance** Plastic pollution has become a major environmental challenge in India, affecting terrestrial ecosystems, rivers, oceans, wildlife, and human communities. The widespread use of single-use plastics, inadequate waste segregation, and insufficient recycling infrastructure contribute to the accumulation of plastic waste. Understanding the causes and consequences of plastic pollution is essential for developing effective waste-management practices and promoting environmental sustainability.

**Observations** Existing research indicates that plastic waste enters the environment through improper disposal, littering, inadequate waste collection, and the limited recycling of certain plastic materials. Plastic pollution can damage ecosystems, threaten wildlife through ingestion and entanglement, and contribute to the formation of microplastics. Rivers and urban drainage systems can transport plastic waste into aquatic environments. Government initiatives, recycling programmes, plastic restrictions, public awareness campaigns, and sustainable alternatives offer possible approaches to reducing this problem. However, their effectiveness depends on public participation, proper implementation, and improved waste-management infrastructure.

**Conclusions and Relevance** Plastic pollution requires coordinated action from individuals, communities, industries, and governments. Strengthening waste segregation, reducing unnecessary plastic consumption, improving recycling systems, and encouraging reusable alternatives can help minimise environmental damage. Environmental education and community participation are particularly important in creating long-term behavioural change. This review highlights the importance of sustainable consumption and responsible waste management in building a cleaner and healthier environment in India.

**Keywords:** Plastic pollution; Environmental sustainability; Waste management; Microplastics; Recycling; India

## Introduction

Plastics have become integral to modern life because they are lightweight, durable, versatile, and relatively inexpensive. They are used in packaging, construction, transport, healthcare, agriculture, textiles, and household goods. These same properties create an environmental challenge when products are discarded after short periods of use: many conventional plastics persist for long periods and can fragment into progressively smaller particles rather than readily disappearing. Plastic pollution therefore reflects not only the quantity of plastic produced and

consumed, but also the design of products, patterns of use, collection systems, and the capacity to recover or safely manage discarded materials.

In India, the challenge is shaped by rapid urbanisation, large and diverse consumption patterns, extensive use of plastic packaging, and substantial differences in municipal capacity between and within states. The Central Pollution Control Board (CPCB) compiles plastic-waste estimates from information supplied by State Pollution Control Boards and Pollution Control Committees. A parliamentary reply reported 4,136,188.83 tonnes of plastic waste for 2022–2023, compared with 3,360,043.45 tonnes in 2018–2019. These figures are administrative estimates and should be interpreted in light of reporting coverage and methodology; they are not a direct measurement of all plastic entering the environment.[1,2]

Plastic waste that is not collected or adequately contained can be transported through drains, streams, and rivers to lakes, estuaries, beaches, and the sea. Larger items may injure or entangle animals, while fragmentation produces microplastics, commonly defined as plastic particles smaller than 5 mm. Research in India has documented microplastics in inland waters and marine environments, although comparisons between studies are difficult because sampling locations, seasons, size limits, extraction methods, and analytical techniques differ.[3,4,9–11] This review summarises the principal environmental pathways and impacts, examines the Indian policy framework, and discusses practical responses that can reduce plastic leakage.

## Review Method and Scope

This article is a narrative review based on publicly available government publications, regulatory documents and peer-reviewed literature identified through targeted searches of official and scholarly sources. It is not a systematic review: no comprehensive database search protocol, duplicate screening, formal risk-of-bias assessment or PRISMA flow diagram was undertaken.

## Sources and Pathways of Plastic Pollution

**Packaging and short-lived consumer products:** Packaging is a major part of the plastic-waste challenge because it is often used briefly and discarded immediately after a product is opened or consumed. Carry bags, wrappers, sachets, food containers, bottles, multilayer laminates, and delivery packaging can become litter when collection is absent or unreliable. The material composition of packaging matters: clean, single-polymer items may be easier to sort and recycle, whereas composite and multilayer materials can be technically and economically difficult to recover. Product redesign and reduction of unnecessary packaging can therefore prevent waste before it enters the collection system.

**Mismanaged collection and transport:** Plastic leakage occurs when waste is littered, dumped in open areas, left in overflowing bins, or carried from streets and markets into storm-water drains. Flooding and monsoon runoff can mobilise accumulated debris and move it into rivers and coastal waters. Open burning, although sometimes used where collection and disposal options are limited, is not an environmentally sound solution and can release hazardous combustion products. The Government of India has explicitly placed responsibility on urban local bodies and gram panchayats for plastic-waste management and for preventing open burning under the applicable rules.[1]

**Microplastic sources:** Microplastics may be primary particles released in small form or secondary particles produced when larger plastic items break down through sunlight, mechanical abrasion, and weathering. Fibres released during washing of synthetic textiles, particles from the wear of tyres and other products, paint fragments, and industrial pellets are potential pathways. In aquatic environments, microplastics can be transported with water and sediment, deposited in lakes and estuaries, or ingested by organisms. A review of Indian inland aquatic ecosystems emphasised the importance of seasonal variation and hydrological conditions, including flow and discharge, when interpreting measured concentrations.[3]

## Environmental Impacts

**Terrestrial ecosystems and urban environments:** Plastic litter can obstruct drains and contribute to local waterlogging, create hazards for livestock and wildlife, and reduce the quality of public spaces. In soils, plastic fragments can alter physical structure and interact with soil organisms; however, the magnitude and direction of effects depend on polymer type, particle size, concentration, soil conditions, and exposure duration. Plastic debris may also be transported from agricultural and peri-urban areas into waterways. These impacts reinforce the need to manage waste at the point of generation rather than relying only on periodic clean-up campaigns.

**Freshwater, estuarine, and marine ecosystems:** Rivers and drainage networks connect inland sources of plastic waste with downstream ecosystems. Studies reviewed by Singh and colleagues found evidence of microplastics in Indian inland waters, sediments, and selected aquatic organisms, while also identifying substantial gaps in standardised, repeated sampling.[3] A 2024 review of Indian marine research reported that the evidence base is concentrated in certain coastal states and that research coverage remains uneven.[4,10] These findings caution against treating a small number of site measurements as representative of the entire country.

Plastic debris can affect wildlife through ingestion, entanglement, and habitat disturbance. Ingestion may cause physical blockage, reduced feeding, or internal injury in some species. Microplastics may be ingested by plankton, invertebrates, and fish, creating opportunities for transfer through food webs. Laboratory and field studies report a range of biological responses, but the ecological significance of exposure depends on particle characteristics and real-world concentrations. The presence of plastic in an organism does not, by itself, demonstrate population-level harm; more long-term and ecologically realistic studies are needed.

**Microplastics and human health:** Human exposure to microplastics may occur through food, drinking water, and inhalation of airborne particles. The World Health Organization's assessment of microplastics in drinking water identified important uncertainties in occurrence data, measurement methods, and health-risk evidence, and called for improved research and monitoring.[5] It is therefore important to distinguish evidence of exposure from proof of specific clinical outcomes. Current knowledge does not justify overstating the health effects of everyday exposure, but it supports precautionary measures that reduce avoidable plastic releases and improve water and environmental monitoring.

## Plastic Waste Management in India

The principal national framework is the Plastic Waste Management Rules, 2016, issued under the Environment (Protection) Act, 1986, and subsequently amended. The rules assign responsibilities to waste generators, local authorities, producers, importers, brand owners, and plastic-waste processors. Amendments in 2021 prohibited specified single-use plastic items with low utility and high littering potential from 1 July 2022. The 2022 amendments introduced extended producer responsibility (EPR) guidelines for plastic packaging, including obligations relating to collection and processing.[6–8]

Government reporting provides evidence of both institutional activity and implementation challenges. A December 2024 parliamentary reply stated that 2,614 plastic-waste processors had been registered under EPR guidelines and that approximately 10.3 million tonnes of plastic packaging waste had been processed according to the centralised EPR portal. The same reply reported 4,446 material recovery facilities for solid waste, with a stated capacity of 31,427.2 tonnes per day.[1] These are important administrative indicators, but they should not be interpreted as proof that all plastic waste is collected, recycled into equivalent material, or prevented from leaking into the environment. Transparent verification, consistent reporting, and information on final processing routes are essential.

Implementation is difficult because local bodies differ in staffing, finance, land availability, collection coverage, and access to processing markets. Source segregation is especially important: mixed waste can contaminate recyclable plastics and increase sorting costs. Some plastic products have low resale value or are technically difficult to recycle, and long transport distances can make recovery uneconomic. Informal waste pickers and scrap dealers already perform collection and sorting functions in many locations. Policies that overlook these workers risk undermining livelihoods and losing practical recovery capacity. Inclusive systems should recognise, organise, and protect waste workers while improving occupational safety and access to formal services.

## Sustainable Solutions and Recommendations

**Reduce and redesign at source:** The most reliable way to prevent plastic pollution is to avoid unnecessary material use. Public institutions, retailers, schools, and event organisers can reduce avoidable single-use items, promote refill and reuse systems, and choose products with durable or recyclable packaging where appropriate. Producers can redesign packaging to reduce material use, avoid unnecessary layers, improve labelling, and favour materials that can be collected and processed in existing systems. Substitution should be assessed carefully: an alternative is not automatically more sustainable unless its full life cycle, durability, local availability, and end-of-life pathway are considered.

**Strengthen collection, segregation, and recycling:** Households and institutions should separate dry recyclable waste from wet and residual waste. Local authorities need dependable door-to-door collection, accessible community collection points, material recovery facilities, and reliable onward transport to authorised processors. Recycling systems should prioritise safe, traceable mechanical recycling where material quality and product safety allow it. Recycling targets must be supported by verified processing capacity and end markets; otherwise, nominal recovery can mask stockpiling, disposal, or misreporting. Open burning and uncontrolled dumping should be prevented through enforcement and practical alternatives.

**Make extended producer responsibility effective:** EPR can shift part of the financial and organisational responsibility for packaging waste toward producers, importers, and brand owners. For it to drive genuine environmental improvement, registration and certificates should be supported by independent audits, traceability of waste flows, transparent public reporting, and penalties for false claims. EPR design should reward prevention, reuse, and high-quality recycling rather than simply the generation of certificates. The system should also support collection infrastructure and fair integration of informal-sector workers.

**Monitor rivers, coasts, and microplastics:** India would benefit from a coordinated monitoring framework using consistent sampling protocols, clear particle-size thresholds, quality assurance, and comparable analytical methods. Monitoring should cover water, sediment, biota, and relevant wastewater pathways, with repeated sampling across seasons. Researchers should report polymer identification methods and contamination controls, and should distinguish particle counts from mass-based measurements. Hydrological data such as rainfall, flow velocity, and discharge should be recorded so that concentrations can be interpreted in terms of transport and loads.[3]

**Education and community participation:** Schools and colleges can connect environmental education with practical action: waste audits, segregation demonstrations, reusable alternatives, neighbourhood clean-ups, and local mapping of litter hotspots. Clean-up activities should be paired with source prevention and safe handling rather than treated as a substitute for municipal services. Public communication should explain which materials are accepted locally, how to prepare them for collection, and why littering and burning are harmful. Community participation is most effective when local authorities provide reliable services and feedback on outcomes.

## Discussion

The evidence reviewed indicates that plastic pollution in India is a systems problem involving product design, consumption, waste collection, processing markets, governance, and environmental transport. National data demonstrate a substantial reported waste stream, while studies of inland and marine environments confirm that microplastics are present in multiple aquatic settings. At the same time, differences in monitoring methods and geographic coverage limit direct comparisons and national extrapolation. Policy instruments such as single-use plastic restrictions and EPR provide a foundation, but their effectiveness depends on implementation quality, credible verification, and the availability of practical alternatives.

A balanced approach should follow the waste hierarchy: prevent and reduce first, reuse where feasible, recycle suitable materials, and ensure safe treatment or disposal of residual waste. This is consistent with the United Nations Environment Programme's systems-change approach, which emphasises reducing problematic plastics, expanding reuse, improving recycling, and diversifying materials and delivery systems.[12] Recycling remains necessary, but it cannot compensate indefinitely for growth in avoidable single-use consumption or weak collection systems.

This review has limitations. It is a narrative synthesis rather than a registered systematic review or meta-analysis. It does not calculate a pooled national microplastic concentration, independently audit government administrative data, or assess every state-level policy and local programme. The available Indian literature is geographically and methodologically uneven, and human-health evidence remains uncertain. These limitations mean that recommendations should be treated as priorities for policy and further study, not as quantified estimates of intervention effectiveness.

## Conclusions

Plastic pollution in India is driven by high-volume use of short-lived products, gaps in collection and segregation, limited recovery options for some materials, and the movement of discarded plastics through terrestrial and aquatic environments.

Government rules and EPR mechanisms provide an important regulatory foundation, but outcomes depend on effective local implementation, transparent monitoring, and inclusive waste-management systems. Reducing unnecessary plastic, expanding reuse, improving collection and sorting, verifying recycling, protecting waste workers, and standardising environmental monitoring offer a practical path toward lower plastic leakage and more sustainable resource use.

## ARTICLE INFORMATION

**Author contributions:** Fenil Pritesh Shah conceived the review, carried out the literature search, drafted and revised the manuscript, and approved the final version.

**Conflict of interest disclosures:** The author is Chairperson of the publisher of this journal. He took no part in the editorial handling of, or decisions on, this manuscript. No other conflicts of interest are reported.

**Funding/support:** None.

**Ethics approval:** Not applicable. This narrative review used publicly available publications and did not involve human participants, personal data or animals.

**Data sharing statement:** Not applicable. No new data were generated or analysed. All sources are cited in the reference list.

**Use of AI tools:** Generative AI tools were used to help draft and format this manuscript. The author reviewed and revised all text, checked the factual statements and references against their sources, and takes full responsibility for the content.

**Acknowledgments:** None.

## REFERENCES

1. Ministry of Environment, Forest and Climate Change, Government of India. Parliament Question: Plastic waste in the country. Press Information Bureau. December 12, 2024. Accessed November 22, 2026. https://www.pib.gov.in/PressReleasePage.aspx?PRID=2083801.
2. Central Pollution Control Board. Annual Report 2022-23 on Implementation of Plastic Waste Management Rules, 2016. CPCB; 2024. https://cpcb.nic.in/.
3. Singh J, Yadav BK, Schneidewind U, Krause S. Microplastics pollution in inland aquatic ecosystems of India with a global perspective on sources, composition, and spatial distribution. J Hydrol Reg Stud. 2024;53:101798. doi:10.1016/j.ejrh.2024.101798.
4. Perumal K, Devi SS, Abraham KM, Kumar AB. The state of marine debris and microplastic research in India: bridging knowledge gaps for robust marine litter policy. Ocean Coast Manag. 2024;259:107418. doi:10.1016/j.ocecoaman.2024.107418.
5. World Health Organization. Microplastics in Drinking-Water. World Health Organization; 2019. https://www.who.int/publications/i/item/9789241516198.
6. Ministry of Environment, Forest and Climate Change, Government of India. Plastic Waste Management Rules, 2016. Gazette of India. March 18, 2016. As amended. https://www.moef.gov.in/rules-regulations-3.
7. Ministry of Environment, Forest and Climate Change, Government of India. Plastic Waste Management (Amendment) Rules, 2021. GSR 571(E). Gazette of India. August 12, 2021. https://www.moef.gov.in/rules-regulations-3.
8. Ministry of Environment, Forest and Climate Change, Government of India. Plastic Waste Management (Amendment) Rules, 2022. GSR 133(E). Gazette of India. February 16, 2022. https://thc.nic.in/Central%20Governmental%20Rules/Plastic%20Waste%20Management%20Rules%2C%202016.pdf.
9. Karthikeyan P, Subagunasekar M. Microplastics pollution studies in India: a recent review of sources, abundances and research perspectives. Reg Stud Mar Sci. 2023;61:102863. doi:10.1016/j.rsma.2023.102863.
10. Anthony JJ, Varalakshmi SV, Kumar Sekar AK, et al. Microplastics pollution in Indian marine environment: sources, effects and solutions. Front Mar Sci. 2024;11:1512802. doi:10.3389/fmars.2024.1512802.
11. Pokar K, Rabari V, Duggal R, et al. The estuarine plastics menace: insights into prevalence, characterization and polymeric risk assessment of microplastics in the Mahi River Estuary, Gujarat, India. Mar Pollut Bull. 2024;116936. doi:10.1016/j.marpolbul.2024.116936.
12. United Nations Environment Programme. Turning Off the Tap: How the World Can End Plastic Pollution and Create a Circular Economy. UNEP; 2023. https://www.unep.org/en/resources/turning-off-the-tap.